

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("701201,207-216").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:04
L2	5918	(701/201,207-216).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:04
L3	3911	I2 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:49
L4	144	I3 and (request\$3 near location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:06
L5	62660	((multiple or plurality) near (node or router\$1 or switch\$2 or hub\$1 or brige\$1 or gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:07
L6	7	I4 and I5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:21
L7	2291	(709/238).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 14:07
L8	1	I3 and I7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:40
L9	262	I2 and I5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:21

L10	180	I9 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 15:40
L11	97	I10 and (insert\$3 or append\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:50
L12	1770	determin\$3 with location with wireless with (computer or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:38
L13	5	I12 and I7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:38
L14	3	I13 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:38
L15	65	I3 and I12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:40
L16	4	I5 and I15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:50
L17	1627	I7 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:49
L18	450	I5 and I17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:50
L19	77	I18 and ((insert\$3 or append\$3) with (location or information or (ip near address) or (routing near information) or (hop near count)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:42

L20	0	I19 and ((location or position\$3) near request43)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:54
L21	61	I19 and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 15:35
L22	4191	request\$3 with (location near information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 15:40
L23	1815	(455/427-428,440,456.3).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:40
L24	1318	I23 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:42
L25	42	I3 and I24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:31
L26	0	2003/0065763	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:38
L27	99	(request\$3 near location) and I24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:40
L28	5565	(request\$3 near location) and ((gps near information) or zipcode or street or city or state or town o country)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:41
L29	40390	("709").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 16:41

L30	0	I2 and I24 and I29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 16:42
L31	3369	I28 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 18:51
L32	573	I31 and ((insert\$3 or append\$3) with (location or information or (ip near address) or (routing near information) or (hop near count)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 18:50
L33	45	I5 and I32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 17:12
L34	10	granularity and I33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 18:51
L35	1481	server with request\$3 with client with location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 18:50
L36	118	granularity and I35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 19:14
L37	72	I36 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 19:04
L38	86125	("370").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:04
L39	34100	("701").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:04

L40	0	("I38andI39").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:04
L41	110	I38 and I39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 19:04
L42	90	I41 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 19:14
L43	2	I28 and I42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 19:06
L44	167	"5365450"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 19:10
L45	9	I28 and I44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 19:14
L46	1481	server with request\$3 with client with location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 19:14
L47	118	granularity and I46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 19:14
L48	56	I28 and I47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 19:14
L49	32	I48 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 19:19

L50	4462	(370/395.4,401).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:19
L51	0	("I28andI50").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 19:19
L52	63	I28 and I50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 19:19
L53	36	I52 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 19:19